




# PLAZA<sup>®</sup> CABLES

YOUR POWERFUL PARTNER



**Safety First,  
Safety Last**

# PRICE LIST

Effective from 09 January, 2026


“Plaza” HRFr, PVC Insulated Unsheathed Flexible Wire Copper Conductor 1100 Volts Industrial Cables Grade Conf. To IS : 694/2010 With Latest Amendments

HSN CODE : 8544

Nom. cond. area sq. mm	Standard packing	Rate (90 Mtrs.) <b>PLATINUM</b>	Rate (90 Mtrs.) <b>ROBO TECH</b>
0.75	18	2169.00	2169.00
1.00	18	2912.00	2793.00
1.50	14	4117.00	4117.00
2.50	12	6616.00	6616.00
4.00	4	9696.00	9696.00
6.00	4	14757.00	14757.00
10.00	3	24815.00	

Standard Packing: 90 mtrs. in carton  
• Colours available: Red, Yellow, Blue, Black, Green & White.

“Plaza” HRFr, PVC Insulated Unsheathed Flexible Wire Copper Conductor 1100 Volts Industrial Cables Grade Conf. To IS : 694/2010 With Latest Amendments

Nom. cond. area sq. mm	Standard packing	 Rate (90 Mtrs.)
0.75	18	1599.00
1.00	18	2280.00
1.50	14	3393.00
2.50	12	5393.00
4.00	4	8173.00
6.00	4	11950.00
10.0	3	19401.00

Standard Packing: 90 mtrs. in carton

“Plaza” (3D) FR-LSH PVC Insulated (unsheathed) Flexible Copper Conductor 1100 Volts. Grade Conforming To IS 694/2010 With Latest Amendments

Nom. cond. area sq. mm	Standard packing	Rate (90 Mtrs.)
0.75	20	2422.00
1.00	20	3165.00
1.50	16	4539.00
2.50	12	7325.00
4.00	4	10947.00
6.00	4	17351.00

Standard Packing: 90 mtrs. in carton  
• Colours available: Red, Yellow, Blue, Black, Green & White.

Suitable For High Frequency And System For Transmission And Reception Purpose For Missiles And Stellite Guidance Microwave Transmission And Local Cable Network System, We Manufacture As Per British Standards 2316 (U.R. Series) Military Standards Mil-C17, (RG Series) & Indian Standards

HSN CODE : 8544

Size	Rate (RS.) Coil	Length
Coxial RG-59 (CCS)-/.040	1954.00	50 Mtrs.
Coxial RG-59 (CCS)-1/.040	3881.00	100 Mtrs.
RG-6(Copper)	4588.00	100 Mtrs.
RG-6(Copper)	13997.00	305 Mtrs.
RG-6(CCS)	2949.00	100 Mtrs.
RG-6(CCS)	7971.00	270 Mtrs.
RG-6(CCS)	8998.00	305 Mtrs.
RG-6 (CCS) Jelly Field	3348.00	100 Mtrs.
RG-6 (CCS) Jelly Field	10215.00	305 Mtrs.
RG-6 Jelly Field (Copper)	5619.00	100 Mtrs.
RG-6 Jelly Field (Copper)	17110.00	305 Mtrs.
RG-11 (CCS)	8262.00	100 Mtrs.
RG-11 (Copper)	14453.00	100 Mtrs.

“Plaza” PE Insulated / FR PVC Sheathed With Bare / Tinned Copper Conductor Conf. To ITI & ITD Specifications (90 Mtrs.)

HSN CODE : 8544

No. of Pair	0.41 mm Rate (RS.) Coil	0.51 mm Rate (RS.) Coil	0.61 mm Rate (RS.) Coil
2.00	2216.00	3042.00	4330.00
3.00	3508.00	4542.00	6470.00
4.00	4712.00	6076.00	8623.00
5.00	5878.00	7562.00	10825.00
6.00	7036.00	9097.00	12956.00
7.00	8274.00	10583.00	15088.00
8.00	9407.00	12116.00	17229.00
10.00	11881.00	15053.00	21645.00
12.00	14220.00	18217.00	25779.00
15.00	17652.00	22727.00	32192.00
20.00	23618.00	30143.00	42944.00
25.00	29305.00	37987.00	54161.00
30.00	35306.00	45251.00	64427.00
35.00	41340.00	52890.00	76174.00
50.00	59064.00	75968.00	108395.00
75.00	88402.00	114028.00	161722.00
100.00	116824.00	150559.00	216157.00

“ACTION ” HRFr, PVC Insulated Unsheathed Flexible Wire Copper Conductor 1100 Volts Industrial Cables Grade Conf. To IS : 694/2010 With Latest Amendments

HSN CODE : 8544

Nom. cond. area sq. mm	Standard Packing	Rate (360 Mtrs.)
0.75	18	6387.00
1.00	18	8977.00
1.50	14	13692.00
2.50	12	21458.00
4.00	4	32166.00
6.00	4	47490.00
10.00	3	79478.00

“Plaza” FR, PVC Insulated Unsheathed Flexible Wire Copper Conductor 1100 Volts Industrial Cables Grade Conf. To IS : 694/2010 With Latest Amendments

HSN CODE : 8544

Nom. cond. area sq. mm	Standard packing	Rate (360 Mtrs.)	Rate (540 Mtrs.)	Rate (720 Mtrs.) Project Packing
0.75	18	9078.00	13605.00	18133.00
1.00	18	12153.00	18238.00	24288.00
1.50	14	17197.00	25794.00	34343.00
2.50	12	27653.00	41473.00	55285.00
4.00	4	40905.00	60148.00	80239.00
6.00	4	62273.00	91596.00	122118.00

Standard Packing: 90 mtrs. in carton Project packing: 720 mtrs. poly bag  
• Colours available: Red, Yellow, Blue, Black, Green & White.

"Plaza" FR, PVC Insulated (Unsheathed) Single Core Sheathed & Twin Core Flat Sheathed Copper Conductor 1100 Volts Grade Conf. To IS : 694 /2010 With Latest Amendments

HSN CODE : 8544

No of Wires & / Dia (mm)	No./ Standard Wire Gauge	Standard Packing	Rate (Rs.)/ Coil
1/1.14	1/18	20	3474.00
3/0.66	3/22	20	3815.00
3/0.80	3/20	20	5122.00
7/0.68	7/22	12	8788.00
7/0.86	7/20	12	13037.00
7/1.05	7/18	5	22060.00
7/1.71	7/16	3	50146.00
7/2.14	7/14		77491.00
19/1.04	19/18		57406.00
19/1.54	19/16		124631.00
19/2.16	19/14		207053.00
37/1.56	37/16		238270.00
37/2.04	37/14		398949.00

"Plaza" FR, PVC Insulated (Unsheathed) Wire Copper Conductor 1100 Volts Industrial Grade Conf. To IS : 694 /2010 With Latest Amendments (100 Mtrs.)

HSN CODE : 8544

Nom. Cond. area sq. mm	Solid Cond.	Stranded Cond.
1.00		4322.00
1.50	5132.00	5530.00
2.50	8694.00	9199.00
4.00	13328.00	14001.00
6.00	20463.00	21533.00
10.00	33595.00	35124.00
16.00		56878.00
25.00		89796.00
35.00		112512.00
50.00		155258.00

PLAZA TWIN FLATE - SHEATHED (Per Coil 90 Mtrs.) HSN CODE : 8544

No of Wires & / Dia (mm)	Cond. const. (No./ Dia.mm)	Rate (Rs.)/ Coil
1/1.14	1/18	9399.00
3/0.66	3/22	9786.00
3/0.80	3/20	11764.00
7/0.68	7/22	19391.00
7/0.86	7/20	29644.00

PLAZA COMPUTER LAN NETWORK CABLE

(Electrolytic grade solid annealed bare copper conductor, 4 Pair unshielded twisted pair (UTP) Industrial cables for LAN Network).

HSN CODE : 8544

Item / Type Screen	List Price per 305 mtrs.
UTP Cat 5e Computer Lan Cable	12894.00
UTP Cat 6 Computer Lan Cable	21187.00

PLAZA CCTV CAMERA CABLE

(ATC Conductor (flexible), PVC insulated, With RG- 59 co-axial cable (Electrolytic solid annealed Cu. Conductor, JF, AL. Foiled and AL. wire braided),PVC Outer sheathed Industrial CCTV camera cable.

HSN CODE : 8544

Item / Type Screen	List Price per 90 mtrs.	List Price per 180 mtrs.
CCTV 3+1 Cables	4011.00	8020.00
CCTV 4+1 Cables	4719.00	9431.00

PLAZA SPEAKER CABLE

(Plaza transparent FR PVC insulated, twin core copper conductor (Flexible) Industrial Speaker cable).

HSN CODE : 8544

Item / Type Screen	List Price per 100 mtrs.
Speaker 2x1.0 Sqmm IND. Cable	8873.00
Speaker 2x1.5 Sqmm IND. Cable	13577.00
Speaker 2x2.0 Sqmm IND. Cable	17099.00

"Plaza" PVC / PE Insulated Twin Flat Telephone Cable With Bare / Tinned Copper Conductor 1100 Volts Grade Conf. To ITI & ITD Specifications (90Mtrs.)

HSN CODE : 8544

Nom. cond. area sq. mm	Cond. Const. (No./ Dia.mm)	Rate
(0.41mm)	1/.016	1400.00
(0.51mm)	1/.020	2155.00
(0.61mm)	1/.024	2814.00
	1/.028	4091.00

Telephone Cables Available Up To 100 Pair. Price Request.

"Plaza" FR, PVC Insulated Unsheathed Flexible Wire Copper Conductor 1100 Volts Industrial Cables Grade Conf. To IS : 694/2010 With Latest Amendments

HSN CODE : 8544

Nom. Cond. Area (Sq. mm)	Standard Packing	Rate (45 Mtrs.)
0.75	18	1146.00
1.00	24	1500.00
1.50	16	2181.00
2.50	12	3499.00
4.00	8	5064.00
6.00	4	7708.00
10.00	2	13057.00

TERMS & CONDITIONS :

- The above rates are ex-godown Delhi • 2. The price are exclusive of GST to be charge extra as applicable. • 3. Terms of payment are Cheque / DD against delivery of documents through Bank. • 4. The above rates are subject to change without any prior notice. • 5. No. risk is accepted for loss or damages to goods in transit. • 6. This supercedes all previous Price Lists. • 7. Disputes if any is subject to Delhi / New Delhi Jurisdiction.



Note : As per international practice which is also adopted by BIS, The number and diameter of conductor strands are for reference only. Conductor resistance as per IS:8130 is the governing criteria.

CE | FIA | ERDA | STH | CPRI | NTH | MSME | TAC

Head Office : A-74, Okhla Industrial Area, Phase-II, New Delhi-110020

Ph.: 011-66369666 (30 Lines), Toll Free No.: 1800 121 8050

E-mail : feedback@plazacables.com, www.plazacables.com

Work : 923/56, Village Katha, Baddi, Distt. Solan (H.P.)

